WASTE MANIFEST  C A D 0 8 6 5 1 0 0 0 5 9		of	is not	required by	shaded areas Federal law.
3. Generator's Name and Mailing Address Douglas Aircraft Co. Mail Code: C6 19503 S. Normandie Avenue	-59		Manifest Documents 10 April 10	794	
Generator's Prione ( 5/0) 5 30503026 (310) 533 - 73	2.31 er	HA	HQ36		1619181
Disposal Control Service 10月7日8003 : Transporter 2 Company Name 8: US EPA ID Number	4184	D: Transpo	orter's Phone ransporter's II	1-800	<u>-824-334</u>
HO2-04-92		100	orter's Phone acility's ID		
Norris Environmental Services 5215 S. Boyle Avenue		randikaliyahan dapi	010917	1030	1919131
Los Angeles, CA 90058  CADIO9171013	0993	<u>(213)</u>	588-	7111	
US DOT Description (Including Proper Shipping Name, Hazard Class, and ID Number)	12. Contai No.	Type	13. Total Quantity	14. Unit Wt/Vol	Waste No.
RQ, Waste Corrosive Liquid, N.O.S. (Nitric acid) Corrosive Material, UNIT	40001			G E	tate 79272. PA/Other
(Dooz , Doo7)	01011	'1' 0	<u> </u>	G S	0002 ) <b>D</b> 00 tate
				F	PA/Other
				s	late
					PA/Other
					tate PA/Other
		W 11 - 31			
Additional Descriptions for Materials Listed Above	ree 1	K. Hangiir	ng Codes for V	Vastes Liste	ed Above
a. Rinse water from tank cleaning of 4	tank ank	*. <i>J</i>	5	b.	ed Above
a. Rinse water from tank cleaning of a 193 Aluminum Etchant and Contents of T.	ank	c.	5	Vastes Liste   b.   d.	ed Above
a. Rinse water from tank cleaning of he 193 Aluminum Etchant and Contents of T. 41 T waste Mixed Acids Nitric acid 0-10% Hydroffugric acid Chamic acid 0-6% Water 82-100	ank 10-170	a. <u>/</u>	5	b.	
1. Rinse water from tank cleaning of 193 Aluminum Etchant and Contents of T.  41 T Waste Mixed Acids Nitric acid 0-10% Hydroffugric acid Chamic acid 0-6% Water 82-100	ank 10-170	a. <u>/</u>	5	b.	
a. Rinse water from tank cleaning of 193 Aluminum Etchant and Contents of T. 41 T Waste Mixed Acids Nitric acid 0-10% Hydrofludgic acid Chemic acid 0-6% Water 82-100 5. Special Handling Instructions and Additional Information in case of accident Contact Chem tree into sewer or waterway. Do not brea deliver, return to generator. Volume	ank do-1% of 800 the vis	) +24 2) epors	5 1-93a te. D	o. Do unabl	not was e to mergency
1. Rinse water from tank cleaning of 193 Aluminum Etchant and Contents of T. 193 Aluminum Etchant and Information of Contents of Conte	at (800) the Vis appr 5240 Tyke N are fully and acc	a.  c.  ) +24 apors oxima  orris ssay des	5 1-930 if If te. D nited F phovid	d.  d.  unabl	not was e to mergency a Service United
19. Rinse water from tank cleaning of 193 Aluminum Etchant and Contents of T. Altric acid o-1070, Hydrofludric acid Chemic acid o-670 Water 82-100.  5. Special Handling Instructions and Additional Information of accident Contact Chem tree of sewer or waterway. Do not breadliver, return to generator. Volume of the special contact of the sewer	at 800 the visapproperty of the visapproperty of visapproperty of visapproperty of visapproperty of visapproperty	a.  c.  ) #24  apars  arma  c.  U  crris  surately des  highway a	300 If the IF Thought according to a senerated to the	d.  d.  unable  ympin  by proper s  pplicable integered III	not was e to mergency a Service United hopping name ernational and
A. Rinse water from tank cleaning of 193 Aluminum Etchant and Contents of T. Hit Waste Mixed Acids Nitric acid 0-10%, Hydrofludric acid Chemic acid 0-6% Water 82-100 5. Special Handling Instructions and Additional Information In case of accident contact Chem tree Into Sewer or waterway. Do not breadliver, return to generator. Volume 10 Seponse Guide #60. EH Permit: 4-910 13. Subcentracted this Job to Disposal Control Ser GENERATOR'S CERTIFICATION: Thereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.	at (800)  At (80	a.  c.  ) +24  pors  yima  evris  urately des  highway a	300 If the ID with a large of the ID with a large of the	d.  d.  unable  umpin  by proper s  pplicable interes to me which	not was e to mergency a Service United appropriate terrational and
1. Rinse water trom tank cleaning of 193 Alvminum Etchant and Contents of The 193 Alvminum Etchant and Acids of The 193 Alvminum Etcha	at (800)  At (80	a.  c.  ) +24  pors  yima  evris  urately des  highway a	300 If the ID with a large of the ID with a large of the	d.  d.  unable  unable	not was e to mergency a Service United hyping name ternational and have determined the minimizes the ize my waste
193 Alvminum Etchant and Contents of The Nitric acid 0-1070, Hydrofludric acid Chemic acid 0-1070, Hydrofludric acid Chemic acid 0-670 Water 82-1000.  5. Special Handling Instructions and Additional Information ase of accident Contact Chem tree at a second of the sever or waterway. Do not breat the sever or waterway. Do not breat the sever or waterway. Do not breat the sever of waterway. Do not breat the sever of waterway. The sever of waterway are not become generator. When the sever of waterway are not become generator. When the sever of waterway are not become generated that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volute of the contents of the several present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that inted/Typed Name  Signature  Signature  Signature	at (800)  At (80	a.  c.  ) +24  pors  yima  evris  urately des  highway a  of waste go	300 If the ID with a large of the ID with a large of the	d.  d.  unable  unable	not was e to mergency a Service United hyping name ternational and have determined the minimizes the ize my waste
A. Rinse water from tank cleaning of 193 Alvminum Etchant and Contents of The 193 Alvminum Etchant and Additional Information as a facility of the 193 Alvminum Etchant and Additional Information as a facility of the 193 Alvminum Etchant and Additional Information and Additio	at (800)  At (80	a.  c.  ) +24  pors  yima  evris  urately des  highway a  of waste go	300 If the ID with a large of the ID with a large of the	d.  d.  d.  unable  umpin  by proper s  pplicable interested to minim	not was e to mergency a Service of United the possible of the
A. Rinse water trorn tank cleaning of 193 Alvminum Etchant and Contents of T. Waste Mixed Acids Nitric acid 0-10%, Hydrofludric acid Chemic acid 0-10%, Hydrofludric acid Chemic acid 0-6% Water 82-100  6. Special Handling Instructions and Additional Information In case of accident contact Chem trec Sever or waterway. Do not bread Beliver, return to generator. Volume  Besponse Guide #60. EH Permit: 4-910  6. Subcontracted this Job to Disposal Control Ser GENERATOR'S CERTIFICATION: Thereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volut to be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that finited/Typed Name  Signature  Signature  Signature  Signature  Admes  Admes	at (800)  At (80	a.  c.  ) +24  pors  yima  evris  urately des  highway a  of waste go	300 If the ID with a large of the ID with a large of the	d.  d.  d.  unable  umpin  by proper s  pplicable interested to minim	not was e to mergency a Service of United hyping name terrational and the minimizes the lize my waste of 12069
A. Rinse water from tank cleaning of 193 Alvminum Etchant and Contents of T. Waste Mixed Acids Nitric acid 0-107, Hydrofludric acid Chemic acid 0-107, Hydrofludric acid Chemic acid 0-672 Water 82-100  Special Handling Instructions and Additional Information  **Research of accident Contact Chem tree  **Research of accident Chem tree  **Research of accident Contact Chem tree  **Research of accident Chem tree  **Research of accident Chem tree  **Res	at (800)  At (80	a.  c.  ) +24  pors  yima  evris  urately des  highway a  of waste go	300 If the ID with a large of the ID with a large of the	d.  d.  d.  ympin  by proper s  pplicable interest to me which  ort to minim	not was e to mergency Service United Tunited T
A. Rinse water from tank cleaning of 193 Aluminum Etchant and Contents of The Nitric acid 0-107, Hydrofludric acid Chemic acid 0-107, Water 82-100.  5. Special Handling Instructions and Additional Information  A sever or waterway. Do not bread the sever or waterway. Do not bread the sever or waterway. Do not bread the sever of the sever of waterway. Do not bread the sever of waterwa	at (800)  At (80	a.  c.  ) +24  pors  yima  evris  urately des  highway a  of waste go	300 If the ID with a large of the ID with a large of the	d.  d.  d.  ympin  by proper s  pplicable interest to me which  ort to minim	not was e to mergency Service United Tupping name ternational and have determined the minimizes the ize my waste  Month Day Yea 0 2 0 6 9 1
A. Rinse water from tank cleaning of 193 Aluminum Etchant and Contents of T Nitric acid 0-107, Hydrofludric acid Chemic acid 0-107, Hydrofludric acid Chemic acid 0-107, Hydrofludric acid Chemic acid 0-672 water 82-100.  5. Special Handling Instructions and Additional Information acse of accident Contact Chem tree of the Sewer or waterway. Do not bree deliver, return to generator. Volume of Sewer or waterway. Do not bree deliver, return to generator. Volume of GENERATOR'S CERTIFICATION: Thereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volut to be economically practicable and that I have a program in place to reduce the volut to be economically practicable and that I have a program in place to reduce the volut to be economically practicable and that I have a program in place to reduce the volut to be economically practicable and that I have a program in place to reduce the volut to be economically practicable and that I have a program in place to reduce the volut of be economically practicable and that I have a program in place to reduce the volut of be economically practicable and that I have a program in place to reduce the volut of be economically practicable and that I have a program in place to reduce the volut of be economically practicable and that I have a program in place to reduce the volut of be economically practicable and that I have a program in place to reduce the volut of be economically practicable and that I have a program in place to reduce the volut of be economically practicable and that I have a program in place to reduce the volut of be economically practicable and that I have a program in place to reduce the volutors and are classified.  The program is program in place to reduce the volutors and are classified, program in place to reduce the volutors and are classified,	at (800)  At (80	a.  c.  ) +24  pors  yima  evris  urately des  highway a  of waste go	300 If the ID with a large of the ID with a large of the	d.  d.  d.  ympin  by proper s  pplicable interest to me which  ort to minim	not was e to mergency Service United Typing name ternational and have determined the minimizes the ize my waste  Month Day Yea 0 2 0 6 9 6
A. Rinse water from tank cleaning of 193 Aluminum Etchant and Contents of THI Waste Mixed Acids Nitric acid 0-109, Hydroflubric acid Chemic acid 0-672 water 82-100 6. Special Handling Instructions and Additional Information In case of accident Contact Chem tree Into sewer or waterway. Do not brea Response Guide #60. EH Permit 19-09 8. Subcentracted this Jab to Disposal Control Series GENERATOR'S CERTIFICATION: Thereby declare that the contents of this consiminent and are classified, packed, marked, and labeled, and are in all respects in proper condition antional government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the volu to be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that rinted/Typed Name  Signature  Signature  B. Tydrsporter 1 Acknowledgement of Receipt of Materials rinted/Typed Name  B. Tydrsporter 2 Acknowledgement of Receipt of Materials rinted/Typed Name  B. Discrepancy Indication Space	at (800)  at (800)  the Vistory for the property of the proper	a.  c.  ) #24  aports  partitions  graftely des  highway a  of waste gisposal curry  re made a	te. Described above according to a senerated to the rently available good faith eff	d.  d.  d.  ympin  by proper s  pplicable interest to me which  ort to minim	not was e to mergency Service United Typing name ternational and have determined the minimizes the ize my waste  Month Day Yea 0 2 0 6 9 6
Chemic acid 0-10%, Hydrotludic acid  5. Special Handling Instructions and Additional Information  In case of accident contact Chem trec  Into Sewer or waterway. Do not brea  Response Guide #60. FH Permit: 4-910  6. Subcontracted this Job to Disposal Control Ser  GENERATOR'S CERTIFICATION: Thereby declare that the contents of this consignment and are classified, packed, marked, and labeled, and are in all respects in proper condition national government regulations.  If I am a large quantity generator, I certify that I have a program in place to reduce the voluto be economically practicable and that I have selected the practicable method of treatment present and future threat to human health and the environment; OR, if I am a small quantity generation and select the best waste management method that is available to me and that thrinted/Typed Name  Signature  7. Transporter 1 Acknowledgement of Receipt of Materials  Frinted/Typed Name  Signature  Signature  Signature	at (800)  at (800)  at (800)  the Vision of	a.  c.  paragraphic approximately destricted a	te. Described above according to a senerated to the rently available good faith eff	d.  d.  d.  ympin  by proper s  pplicable interest to me white  ort to minim	not was e to mergency Service United Typing name ternational and have determined the minimizes the ize my waste  Month Day Yea 0 2 0 6 9 6

89479468
USE CENTER 1-800-424-8802; WITHIN CALIFORNIA CALL 1-800-852-7550

IN CASE OF AN EMERGENCY OR SPILL, CALL THE NATIONAL RE

DHS 8022 A (1/88) EPA 8700—22 (Rev. 9-88) Previous editions are obsolete.

Yellow: TSDF SENDS THIS COPY TO GENERATOR WITHIN 30 DAYS

6,000

468 NIA CALL 1-800-852-7550

CENTER 1-800-424-8802; WITHIN

RES

THE NATIONAL

CALL

SPILL,

8

EMERGENCY

Ą

6

CASE

(Rev. 9-88) Previous editions are obsolete.

YELLOW: GENERATOR RETAINS

Department of Health Services

## See Instructions on Back of Page 6 and Front of Page 7

UNIFORM HAZARDOU WASTE MANIFEST	CAP108	16151110101015		7	of   is not	required	he shaded a by Federal is
B. Generator's Name and Mailing Address Douglas Aircraf 19503 S. Normand Torrans Phone 310 53		Attns R. Tu Mail Codes (310) 533 -	e II. C6 = 59 7231	B, Sta	te Manifest Documents 89 4 te Generator's ID	79	468
7. Transporter 2 Company Name	ol Service	6: US EPA ID  C A T 0 8 0 0 8. US EPA ID	Number 0 3 4 1 8 4 Number	D. Tra	ite Transporter's I insporter's Phone ite Transporter's I insporter's Phone	<i>1-80</i>	
9. Designated Facility Name and Site A Norris Environme 5215 S. Boyle Los Angeles, C	ental Servi Avenue	30.000		H. Fac	nte Facility's ID               cility's Phone      3) 588 -	11 711	)   1
11. US DOT Description (Including Pro					13. Total Quantity	14. Unit Wt/Vol	. Was
RO, Waste Co (Nitric acid) Co	orrosive M	iquid, N.O laterial, un	حبسين المراجع			G	State 7
).				1			State EPA/Other
							State EPA/Other
d. J. Additional Descriptions for Materials	lieted Above to			l K. Ha	I I I I	Westes L	State EPA/Other
a. Rinse water 193 Aluminum Et 41 T Waste M Nitric acid	from tan chant and ixed Acids 5-60% Hy	Contents of drofluoric	Tank acido-17	G: 4		b,   d.	
15. Special Handling Instructions and A In Case of acci Into sewer or deliver, return Response Guide	dent Contact dent Contact waterway to general 60. EH F	t Chem tre Do not be for Volume Permit: 4-	c at 80 reather is app 910524	vapo vapo voxi	21-930 xs. If mate. D United P	una OT Cymp	ble temerg
GENERATOR'S CERTIFICATION: and are classified, packed, marke national government regulations.  If I am a large quantity generator, to be economically practicable an	SDOSAIA (In 17) I hereby declare that the d, and labeled, and are in I certify that I have a pro- d that I have selected the	e contents of this consider all respects in proper congram in place to reduce to practicable method of trees.	iment are fully and indition for transported to the volume and toxic eatment, storage, continued to the volume at	accurately t by highver ity of was r disposa	y described above way according to sate generated to the courtenance of the courtenance o	by propapicable he degree	er shipping is internation e I have det which minim
present and future threat to human generation and select the best wa Printed/Typed Name	n nealth and the environm ate management method	that is available to me a	nd that I can afford.		ge a good famili en		Month
Robert G. 7	GELL JY f Receipt of Materials	- Koha	T.B. S	Ju	ells Jr.		10121
Printed/Typed Name		Signature					Month
18. Transporter 2 Acknowledgement o Printed/Typed Name	f Receipt of Materials	Signature					Month
19. Discrepancy Indication Space							

DHS 8022 A (1/88)

EPA 8700—22 (Rev. 9-88) Previous editions are obsolete.

Do Not Write Below This Line

White: TSDF SENDS THIS COPY TO DOHS WITHIN 30 DAYS To: P.O. Box 3000, Sacramento, CA 95812

WORK ORDER

## DISPOSAL CONTROL SERVICE, INC.

CUSTOMER/ACCT. NO.

1369 W. 9th STREET, UPLAND, CALIFORNIA 91786 (800) 824-3345 (714) 983-0342

WORK ORDER NO.

BILLINGLADDRESS

SERVICE ADDRESS

22223

UNITED PUMPING SERVICE, INC. 14016 E. VALLEY BLVD CITY OF INDUSTRY, CA 91746

20404 S. NORMANDIE AVE

TURRANCE, CA

	TE TO BE DONE CUSTOMER'S	P.O. # ORDERED		
DCS REP. DCS	S DIV # DCS DEPART	MENT GÚSTÓMI )	ER'S EPA # CUSTO	CONTACT PHONE #

ON SITE 530

1 - 5,000 GALLON KYNAR LINED VACUUM TRUCK TO PUMP LOAD OF MIXED ACIDS (NITRIC, HYDROCHLORIC, CHROMIC)

TRANSPORT TO NORRIS INDUSTRIES FOR DISPOSAL

ENERATOR TO MANIFEST

SPECIAL INSTRUCTIONS			
DRIVER COMPLETE  Manifest Number 8947946 8  ments	Date Completed 2-	6-92 Drivers Nan	Jon

In the event of any litigation arising out of this agreement or any transaction contemplated hereby, the prevailing party shall be entitled to reasonable attorney's fees, expenses and costs.

NOT AN INVOICE - BILLING WILL FOLLOW

Customer Signature Will Dan

First Technician	
First Technician	
First Technician	
Third Technician	
Fourth Technician	
Fifth Technician	<u> </u>
Truck # Hrs. @ Per Hr.  Truck # Hrs. @ Per Hr.  Truck # Hrs. @ Per Hr.  Sundays, Holidays, and After Hours @ % =  TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY  5 Gal. Cans Liquid @ Each 5 Gal. Cans Solid @ Each 5 Gal. Cans Lab Packed @ Each 55 Gal. Drums Liquid @ Each 55 Gal. Drums Solid @ Each 55 Gal. Drums Solid @ Each 55 Gal. Drums Lab Packed @ Each 55 Gal. Drums Lab Packed @ Each	
Truck # Hrs. @ Per Hr.  Truck # Hrs. @ Per Hr.  Sundays, Holidays, and After Hours @ % =  TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY  5 Gal. Cans Liquid @ Each 5 Gal. Cans Solid @ Each 5 Gal. Cans Lab Packed @ Each 55 Gal. Drums Liquid @ Each 55 Gal. Drums Solid @ Each 55 Gal. Drums Solid @ Each 55 Gal. Drums Lab Packed @ Each	
Truck # Hrs. @ Per Hr.         Sundays, Holidays, and After Hours @ % =         TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY         5 Gal. Cans Liquid @ Each         5 Gal. Cans Solid @ Each         55 Gal. Drums Liquid @ Each         55 Gal. Drums Solid @ Each         55 Gal. Drums Lab Packed @ Each         55 Gal. Drums Lab Packed @ Each         55 Gal. Drums Lab Packed @ Each	
Sundays, Holidays, and After Hours @	
Sundays, Holidays, and After Hours @       % =         TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY       5 Gal. Cans Liquid @       Each        5 Gal. Cans Solid @       Each        5 Gal. Cans Lab Packed @       Each        55 Gal. Drums Liquid @       Each        55 Gal. Drums Solid @       Each        55 Gal. Drums Lab Packed @       Each	
Sundays, Holidays, and After Hours @       % =         TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY       5 Gal. Cans Liquid @       Each        5 Gal. Cans Solid @       Each        5 Gal. Cans Lab Packed @       Each        55 Gal. Drums Liquid @       Each        55 Gal. Drums Solid @       Each        55 Gal. Drums Lab Packed @       Each	
TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY        5 Gal. Cans Liquid @ Each        5 Gal. Cans Solid @ Each        5 Gal. Drums Liquid @ Each        55 Gal. Drums Solid @ Each        55 Gal. Drums Lab Packed @ Each	
TRANSPORTATION & DISPOSAL FEES TO TSD FACILITY        5 Gal. Cans Liquid @ Each        5 Gal. Cans Solid @ Each        5 Gal. Drums Liquid @ Each        55 Gal. Drums Solid @ Each        55 Gal. Drums Lab Packed @ Each	
5 Gal. Cans Lab Packed @ Each	
55 Gal. Drums Liquid @ Each	
55 Gal. Drums Solid @ Each 55 Gal. Drums Lab Packed @ Each	
55 Gal. Drums Lab Packed @ Each	
and the control of t	
Empty 5 Gal. Cans @Each	
Empty 55 Gal. Drums @Each	
County Tax	
MATERIALS USED	
5 Gal. Cans @ Each	
55 Gal, Drums @ Each	
Recovery Drums @Each	
Bags Vermiculite @ Each	
Bags (Other Describe) @ =	
Hazardous Waste Labels @ Each	
Drum Liners @ Each	
Safety Equipment Number of Sets@=	
PRICING INSTRUCTIONS — PUMPING	en i garante de la companya de la c La companya de la co La companya de la compan
and the second of	veno sayoti.
Compensation Hrs. @ Per Hr	
one your <b>Washout Fee</b> to the complete of the	
Dump Fee	



## NORRIS Environmental Services CERTIFICATE OF TREATMENT

Issued To

**DOUGLAS AIRCRAFT COMPANY-TORRANCE** 

19503 SOUTH NORMANDIE AVE., MAIL CODE C6-59
TORRANCE CA 90502-0000

Date Received: 2/06/92

Manifest Number: 89479468

## THIS CERTIFIES THAT

THE WASTE RECEIVED ON THE ABOVE MANIFEST WAS PROCESSED THROUGH NORRIS ENVIRONMENTAL SERVICES' TREATMENT SYSTEM. THE NORRIS ENVIRONMENTAL SERVICES' TREATMENT SYSTEM DETOXIFIED THE WASTE, AND CONVERTED THE RESIDUE INTO A RECYCLABLE MATERIAL. THESE STEPS WERE CARRIED OUT IN FULL ACCORDANCE WITH FEDERAL, STATE, AND LOCAL ENVIRONMENTAL REQUIREMENTS.

THIS PROCESSING OF THE WASTE BY NORRIS ENVIRONMENTAL SERVICES' TREATMENT SYSTEM COMPLETES ALL OF THE CERTIFICATE HOLDER'S RESPONSIBILITIES UNDER THE UNITED STATES RESOURCE CONSERVATION AND RECOVERY ACT AND THE CALIFORNIA HAZARDOUS WASTE CONTROL ACT.

A MASCO INDUSTRIES COMPANY